Tropical storms (cyclone/hurricane/typhoon)

Last update: 2024-07-26

Key facts

Tropical storms can damage infrastructure and can cause injuries from high winds, storm surges, landslides and flooding.

Tropical storms can damage health facilities and interrupt services, impacting access to essential care.

Cyclones/hurricanes/typhoons are exacerbated by climate change.

Main health impacts

Health concern	Risk factors
Mental health consequences	 Mental health impacts including (but not limited to) severe anxiety, post-traumatic stress disorder (PTSD), and depression may occur as a result of experiencing the trauma of a tropical storm (for example, homelessness; losing loved ones; loss of livelihood; etc.). Experiencing multiple traumatic events can lead to compound or complex trauma.
Trauma (injury)	• Landslides, flying debris, insufficient shelter etc. can lead to trauma, injury and exposure during tropical storms and in the immediate aftermath.

Diarrhoeal diseases	 Contamination of water supply can be caused by flood water and by damaged or destroyed sanitation facilities. Displacement or destroyed homes can lead to difficulty maintaining proper sanitation and hygiene practices which can lead to problems such as diarrhoeal diseases.
Vector-borne diseases and snake bites	 Flood water and break-down in waste management and sanitation can lead to increased areas of stagnant water and can increase the risk of breeding sites for certain vectors. Flooding also leads to displacement of different animals and insects. This includes venomous snakes. Snakes seeking food and shelter are more likely to come into close contact with humans, increasing the risk of venomous bites. Other animals, such as rats, are also displaced and may come into closer contact with humans resulting in the spread of vector-borne diseases.
Respiratory illnesses, skin diseases and vaccine- preventable diseases	 Storms may lead to population displacement. Overcrowded, communal emergency shelters, coupled with difficulty maintaining proper sanitation and hygiene practices can lead to problems such as respiratory illnesses, skin diseases and some vaccine-preventable diseases. Emergency responders and community members may be at increased risk for wounds and injuries that become contaminated with flood waters, soil, dirt, human or animal waste. A major tropical storm can cause severe damage to health facilities and lead to the disruption of routine health services such as vaccination programmes, increasing the risk of transmission of vaccine-preventable diseases.
Overall adverse health outcomes	 Damage to health facilities and means of communication, power and stock disruptions and staff absenteeism limit access to all health care services from emergency care, maternal and child health services and essential care of noncommunicable diseases (NCDs).

Disease tools that may be relevant

<u>>Acute diarrhoea</u>



- <u>> Cholera</u>
- _><u>Hepatitis A</u>
- _><u>Hepatitis E</u>
- <u>>Typhoid fever</u>

-> Acute respiratory infections preventable by vaccine - Diphtheria, chickenpox, mumps, rubella, whooping cough

- <u>> Measles</u>
- <u>> Meningococcal meningitis</u>
- _> <u>Poliomyelitis (polio)</u>
- <u>>Yellow fever</u>
- _><u>Chikungunya</u>
- <u>> Dengue fever</u>
- <u>> Malaria</u>
- _> Zika virus infection
- <u>>Acute respiratory infections (ARIs)</u>
- <u>> Influenza (seasonal and zoonotic influenza)</u>

